AMENDMENTS TO THE CLAIMS

1. (*Currently Amended*) A laser marking system for marking an object a part of a vehicle by disrupting the material of the interior or surface of the object part of the vehicle, the system comprising:

a marking head comprising means for directing a laser beam to define a pattern, a laser emitter, and

laser beam delivery means for delivering the laser beam from the laser emitter to the marking head, wherein the marking head and laser emitter are movable and at least the laser marking head is configured to be carried by a person wherein the marking head and laser emitter are movable and both configured to be carried by a person, and wherein the emitter is carried on a personal load carrying system which is rigidly mountable on a user's body, the marking head being mounted on a support arm which allows the marking head to be moved with respect to the personal load carrying system while transferring the weight of the marking head to the personal load carrying system.

- 2. (*Currently Amended*) A laser marking system according to claim 1, wherein the emitter and marking head and the laser emitter are both configured to be carried by a person are mounted on the support arm.
- 3. (*Previously Presented*) A laser marking system according to claim 1, wherein at least the marking head comprises a handle.
- 4. (*Currently Amended*) A laser marking system according to claim 1, wherein the laser beam delivery means permits the marking head to be displaced with [[the]] respect to the laser emitter in at least two dimensions and preferably in <u>at</u> least three dimensions.

Application No. 10/583,475 Docket No.: M0025.0355/P355

Amendment dated September 28, 2007 Reply to Office Action of June 28, 2007

5. (Original) A laser marking system according to claim 4, wherein the laser beam

delivery means permits the direction in which the marking head faces to be moved with

respect to the laser emitter in two angular dimensions.

6. (Canceled)

7. (Previously Presented) A laser marking system according to claim 1, wherein the

laser emitter is a carbon dioxide laser.

8. (Original) The laser marking system according to claim 7, wherein the carbon

dioxide laser is a pulsed carbon dioxide laser.

9. (Original) The laser marking system according to claim 8, wherein the carbon

dioxide laser is pulsed by a Q-switch.

10. (Previously Presented) A laser marking system according to claim 1, wherein the

weight of the marking head does not exceed 5 kg, being preferably less than 3 kg and

preferably less than 2 kg.

11. (Currently amended) A laser marking system according to claim 1, wherein the

duty ratio of the laser beam is in the range 20-60%, preferably 30-50%, most preferably 35-

[[]]45%.

4

DSMDB-2326583v02

Application No. 10/583,475 Docket No.: M0025.0355/P355
Amendment dated September 28, 2007

Reply to Office Action of June 28, 2007

12. (Previously Presented) A laser marking system according to claim 1, wherein the

scanning speed of the laser beam across the object to be marked is in the range 2000-8000,

preferably 3000-6000, most preferably 4000-5000 mm/s.

13. (Currently amended) A laser marking system according to claim 1, wherein the

power of the laser <u>beam is</u> in the range 5-20 watts, more preferably 10-15 watts.

14. (Previously Presented) A laser marking system according to claim 1, wherein the

laser beam delivery means comprises a plurality of laser beam conduit sections placed in

sequence one after the other, each laser beam delivery section being displaceable with

respect to the adjacent laser beam conduit sections around at least one and preferably two

axes.

15. (Previously Presented) A laser marking system according to claim 1, wherein the

laser beam delivery means comprises a fibreoptic cable.

16. (Currently amended) A method of marking a an object part of a vehicle by

disrupting the material of the interior or surface of the object part of the vehicle using a

laser, comprising using the laser marking system of claim 1.

17-18. (*Canceled*)

5

DSMDB-2326583v02